

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER OF PAIENTS AND TRADEMARKS PO Box 140 Mexandra, Auguna 223/3-1450 www.usplo.gov

	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10.001,485	11/23/2001	C.P. Kelkar	4836 1918		
7590 05 19 2003 Engelhard Corporation 101 Wood Avenue			EXAMINER ARNOLD JR, JAMES		
			1764		
			DATE MAILED: 05/19/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

•		Application No.					
		10/001,485	10/001,485 KELKAR ET AL.				
Offic	e Action Summary	Examiner		Art Unit	and the stand of Market 19 to		
		James Arn		1764			
The MA Period for Reply	ILING DATE of this communication app	ears on the	cover sheet with the o	orrespondence address	s		
THE MAILING - Extensions of time after SIX (6) MON - If the period for reg - If NO period for reg - Failure to reply wit - Any reply received	D STATUTORY PERIOD FOR REPLY DATE OF THIS COMMUNICATION. I may be available under the provisions of 37 CFR 1.13 THS from the mailing date of this communication oly specified above is less than thirty (30) days. a reply ply is specified above, the maximum statutory period whin the set or extended period for reply will, by statute, by the Office later than three months after the mailing in adjustment. See 37 CFR 1.704(b).	36(a). In no ever within the statul vill apply and will cause the applic	nt, however, may a reply be tir ory minimum of thirty (30) day expire SIX (6) MONTHS from cation to become ABANDONE	nely filed is will be considered timely. the mailing date of this commun D (35 U.S.C.§ 133).	iication		
	sive to communication(s) filed on 23 A	Jovember 2	001				
		is action is r					
,—	nis application is in condition for allowa			rosecution as to the mε	erits is		
	n accordance with the practice under I						
4) Claim(s)	1-29 is/are pending in the application						
4a) Of the	e above claim(s) <u>22-29</u> is/are withdraw	n from con	sideration.				
5) Claim(s)	is/are allowed.						
6)⊡ Claim(s)	1-21 is/are rejected.						
7) Claim(s)	is/are objected to.						
8) Claim(s)	are subject to restriction and/or	r election re	quirement.				
Application Paper	rs						
9) The spec	ification is objected to by the Examine	r.					
10) The draw	ing(s) filed on is/are: a)□ accep	oted or b)	objected to by the Exa	miner.			
Applicar	nt may not request that any objection to the	e drawing(s)	be held in abeyance. S	ee 37 CFR 1.85(a).			
11) ☐ The propo	osed drawing correction filed on	_ is: a) <u> </u>	proved b) disappr	oved by the Examiner.			
If approv	ved, corrected drawings are required in rep	oly to this Off	ice action.				
12)∏ The oath	or declaration is objected to by the Ex	aminer.					
Priority under 35	U.S.C. §§ 119 and 120						
13) Acknowl	edgment is made of a claim for foreign	n priority und	der 35 U.S.C. § 119(a	a)-(d) or (f).			
a)∏ All b)	☐ Some * c)☐ None of:						
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
_	opies of the certified copies of the prior application from the International But ttached detailed Office action for a list	reau (PCT I	Rule 17.2(a)).	_	le		
	dgment is made of a claim for domesti		·		dication)		
					ilcation).		
15) Acknowle	translation of the foreign language pro dgment is made of a claim for domesti						
Attachment(s)							
	nces Cited (PTO-892) person's Patent Drawing Review (PTO-948) losure Statement(s) (PTO-1449) Paper No(s) <u>3</u>	<u>.5</u> .		y (PTO-413) Paper No(s) Patent Application (PTO-152			
J S Patent and Trademark Office	e						

Application/Control Numer: 10/001,485

Art Unit: 1764

DETAILED ACTION

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- Claims 1-21, drawn to a NOx removal composition, classified in class
 subclass 304.
- Claims 22-29, drawn to a NOx removal process, classified in class 208, subclass 113.

The inventions are distinct, each from the other because of the following reasons:

Inventions of Group I and Group II are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the product as claimed can be practiced with another materially different product or (2) the product as claimed can be used in a materially different process of using that product (MPEP § 806.05(h)). In the instant case the process as claimed can be practiced with another materially different product such as a composition not comprising a lanthanide series element.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

During a telephone conversation with Raymond Keller on May 8, 2003 a provisional election was made WITH traverse to prosecute the invention of Group 1, claims 1-21. Affirmation of this election must be made by applicant in replying to this Office action. Claims 22-29 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

Application/Control Numer: 10/001,485

Art Unit: 1764

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Claim Objections

Claim 14 is objected to because of the following informalities: The word "is" should be inserted between the first "oxide" and "praseodymium" in line 2 of the claim. Appropriate correction is required.

Claim 19 is objected to because of the following informalities: The letter "s" should be stricken from the word "components" in line 2 of the claim. Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.

Application/Control Number: 10/001.485

Art Unit: 1764

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-5 and 9-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Peters et al. USPN 6,129,834) in view of Green et al. (USPN 4,973,399).

The Peters reference discloses a NO_X removal composition suitable for reducing NO_x emissions comprising an acidic oxide support, cerium oxide, and at least one oxide of a transition metal selected from Groups Ib and IIb of the Periodic Table including copper and silver. See Abstract. The reference discloses a composition wherein the acidic oxide support is either alumina or silica-alumina. See Column 2, lines 20-25. The reference discloses a composition wherein the alumina: silica mole ratio is from 3:1 to 50:1. See Column 2, lines 25-27. The reference discloses a composition wherein cerium oxide is present in amounts of at least one part per 100 parts per weight of acidic oxide support. See Column 6, lines 5-15. The reference discloses a fluid cracking catalyst composition comprising (a) a cracking component suitable for catalyzing the cracking of hydrocarbons and (b) a NOx reduction composition comprising (i) an acidic oxide support (ii) cerium oxide and (iii) an oxide of a transitional metal selected from Groups Ib and IIb of the Periodic Table, said NOx reduction composition being an integral component of the catalyst composition particles, being separate particles from the catalyst component or mixtures thereof and being present in the cracking catalyst in a sufficient NOx reducing amount. See Column 4, lines 1-30 and Column 6, lines 1-50. The reference discloses a cracking catalyst wherein said cracking catalyst comprises an admixture of component (a) and component (b); wherein said cracking catalyst comprises integral particles which contain both component (a) and component (b); and wherein the

Art Unit: 1764

NOx reduction composition (b) comprises about 0.1 to 15 wt% of the cracking catalyst composition. See Column 4, lines 1-30 and Column 6, lines 1-50.

The Peters reference does not disclose a composition comprising at least one oxide of a lanthanide series element other than cerium oxide. The reference does not disclose a composition wherein silica-alumina is prepared by caustic leaching of silica from calcined kaolin; from kaolin calcined through its characteristic exotherm; and wherein the caustic leached kaolin support is a microsphere whereby the caustic leached kaolin is bound with aluminum chlorohydroxide before calcinations through its characteristic exotherm. The reference does not explicitly disclose zinc as a constituent of the composition. The reference does not disclose the full range of cerium oxide present in amounts of from at least about 0.5 part by weight per 100 parts by weight of said acidic oxide support. The reference does not disclose a composition wherein at least one oxide of a lanthanide series element other than cerium oxide is present in amounts of at least about 0.5 part by weight per 100 parts by weight of said acidic oxide support nor amounts of from at least about 2 up to about 25 parts by weight per 100 parts by weight of said acidic oxide support. The reference does not disclose a composition wherein said oxide of a lanthanide series element other than cerium oxide is praseodymium oxide. The reference does not disclose a composition wherein the amount of ceria to praseodymium oxide ranges from about 1:4 to about 4:1 by weight or from about 1:2 to about 2:1 by weight. The reference does not disclose a fluid cracking catalyst composition comprising a cracking component suitable for catalyzing the cracking of hydrocarbons at least one oxide of a lanthanide series element other than ceria such as

Application/Control Number: 10/001,485

Art Unit: 1764

praseodymium oxide. The reference does not disclose a composition where the full range alumina:silica mole ratio is from 1:1 to 50:1

The Green reference discloses a lanthanide series oxide other than cerium oxide such as praseodymium oxide. See Column 14, lines 50-68.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the composition of Peters to include a composition comprising at least one oxide of a lanthanide series element other than cerium oxide such as praseodymium oxide as disclosed by Green or to utilize a fluid cracking catalyst composition comprising a cracking component suitable for catalyzing the cracking of hydrocarbons at least one oxide of a lanthanide series element other than ceria such as praseodymium oxide because both the Green and Peters reference disclose compositions suitable for NOx reductions and ceria and praseodymium would be expected to display similar properties because both are lanthanide series elements. It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize zinc as a constituent of the NOx reduction composition because the Peters reference discloses the use of Group I and Group IIb transition metals in said composition. It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the full range of cerium oxide present in amounts of from at least about 0.5 part by weight per 100 parts by weight of said acidic oxide support; to utilize a composition wherein at least one oxide of a lanthanide series element other than cerium oxide is present in amounts of at least about 0.5 part by weight per 100 parts by weight of said acidic oxide support or amounts of from at least about 2 up to about 25 parts by weight per 100 parts by weight of said acidic oxide support; and to

Application/Control Number: 10/001,485

Art Unit: 1764

utilize a composition wherein the amount of ceria to praseodymium oxide ranges from about 1:4 to about 4:1 by weight or from about 1:2 to about 2:1 by weight because the constituent components cerium oxide, praseodymium oxide, and lanthanide series oxides are disclosed by Peters and/or Green and it would be appropriate to adjust the ratios so that the composition will be effective for NOx removal. It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the full range alumina:silica mole ratio of from 1:1 to 50:1 because an overlapping range is disclosed be Peters and it would be appropriate to adjust the range to utilize a composition effective for NOx removal.

Claims 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Peters et al. USPN 6,129,834) in view of Green et al. (USPN 4,973,399) as applied to claims 1-5 and 9-21 above, and further in view of Lussier (USPN 4,847,225).

The Lussier reference discloses a composition wherein the silica-alumina is prepared by caustic leaching of silica from calcined kaolin; a composition wherein the said silica-alumina is prepared by the caustic leaching of silica from kaolin calcined through its characteristic exotherm; and a composition where the caustic leached kaolin support is a microsphere whereby the caustic leached kaolin is bound with aluminum chlorohydroxide before calcinations through its characteristic exotherm. See Column 1, lines 25-35; Column 2, lines 24-35; Column 3, lines 1-25; and Column 5, lines 5-20.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the composition of Peters and Green to utilize a composition wherein the silica-alumina is prepared by caustic leaching of silica from calcined kaolin; a composition wherein the said silica-alumina is prepared by the caustic

Application/Control Number: 10/001,485

Art Unit: 1764

leaching of silica from kaolin calcined through its characteristic exotherm; and a composition where the caustic leached kaolin support is a microsphere whereby the caustic leached kaolin is bound with aluminum chlorohydroxide before calcinations through its characteristic exotherm because all three references disclose catalysts capable of NOx removal in an FCC process and because the use of silica-alumina is disclosed by all three references and it would be appropriate to prepare silica-alumina in any way effective for NOx removal.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Arnold, Jr. whose telephone number is 703-305-5308. The examiner can normally be reached on Monday-Thursday 8:30 AM-6:00 PM; Fridays from 8:30 AM-5:00 PM with alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola can be reached on 703-308-6824. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9310 for regular communications and 703-872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0651.

Malt C. Daff

Walter D. Griffin Primary Examiner

ja

May 18, 2003